

Recreation Table 1  
Shannon County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Aa: Lohmiller-----	85	Very limited Flooding Restricted permeability	1.00 0.05	Somewhat limited Flooding Restricted permeability	0.40 0.05	Very limited Flooding Restricted permeability	1.00 0.05
AsB: Anselmo-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
AsC: Anselmo-----	85	Not limited		Not limited		Very limited Slope	1.00
AvE: Anselmo-----	50	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Valentine-----	35	Very limited Too sandy Slope	1.00 0.84	Very limited Too sandy Slope	1.00 0.84	Very limited Too sandy Slope	1.00 1.00
Ba: Badland-----	35	Not rated		Not rated		Not rated	
Denby-----	25	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.39	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.39	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.39
Interior-----	20	Very limited Sodium content Flooding Dusty	1.00 1.00 0.50	Very limited Sodium content Dusty Flooding	1.00 0.50 0.40	Very limited Sodium content Flooding Dusty	1.00 1.00 0.50
Bk: Bankard-----	90	Somewhat limited Too sandy	0.87	Somewhat limited Too sandy	0.87	Somewhat limited Too sandy	0.87
Br: Badland-----	80	Not rated		Not rated		Not rated	

Recreation Table 1  
Shannon County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bu: Buffington-----	85	Not limited		Not limited		Not limited	
CaF: Canyon-----	50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty Gravel content	1.00 1.00 0.50 0.18
Oglala-----	25	Very limited Slope Dusty	1.00 0.50	Very limited Slope Dusty	1.00 0.50	Very limited Slope Dusty	1.00 0.50
Cc: Canyon-----	45	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty Gravel content	1.00 1.00 0.50 0.18
Rock Outcrop, Sandstone-----	25	Not rated		Not rated		Not rated	
Cy: Denby-----	80	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.39	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.39	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.39
DvB: Dunday-----	50	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Slope	0.95 0.12
Valentine-----	40	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Too sandy Slope	1.00 0.50
Ef: Elsmere-----	60	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95

Recreation Table 1  
Shannon County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Loup-----	25	Depth to saturated zone	0.07	Depth to saturated zone	0.03	Depth to saturated zone	0.07
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
EhF: Epping-----	50	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.39
Kadoka-----	30	Somewhat limited Slope Dusty Restricted permeability	0.63 0.50 0.05	Somewhat limited Slope Dusty Restricted permeability	0.63 0.50 0.05	Very limited Slope Dusty Depth to bedrock Restricted permeability	1.00 0.50 0.42 0.05
EkE: Epping-----	50	Very limited Depth to bedrock Slope Dusty Restricted permeability	1.00 0.63 0.50 0.39	Very limited Depth to bedrock Slope Dusty Restricted permeability	1.00 0.63 0.50 0.39	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.39
Kadoka-----	40	Somewhat limited Slope Dusty Restricted permeability	0.63 0.50 0.05	Somewhat limited Slope Dusty Restricted permeability	0.63 0.50 0.05	Very limited Slope Dusty Depth to bedrock Restricted permeability	1.00 0.50 0.42 0.05
Er: Epping-----	50	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.39
Rock Outcrop, Sandstone-----	25	Not rated		Not rated		Not rated	

Recreation Table 1  
Shannon County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GoA: Mobridge-----	90	Not limited		Not limited		Not limited	
Gr: Nihill-----	75	Very limited Slope Dusty Gravel content	1.00 0.50 0.33	Very limited Slope Dusty Gravel content	1.00 0.50 0.33	Very limited Slope Gravel content Dusty Content of large stones	1.00 1.00 0.50 0.01
HhA: Haverson-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
HlA: Haverson-----	94	Very limited Flooding Dusty	1.00 0.50	Somewhat limited Dusty	0.50	Somewhat limited Flooding Dusty	0.60 0.50
HoA: Haverson-----	95	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Hs: Hisle-----	80	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Slope Dusty  Restricted permeability Depth to bedrock	1.00 0.88 0.50  0.45 0.42
Ht: Hisle-----	50	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability Depth to bedrock Slope	1.00 0.50 0.45  0.42 0.12
Swanboy-----	45	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45

SD-NRCS- JULY 2002

Recreation Table 1  
Shannon County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hv: Hoven-----	90					Slope	0.12
		Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
KaA: Kadoka-----	90	permeability		permeability		permeability	
		Sodium content	1.00	Sodium content	1.00	Sodium content	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
KaB: Kadoka-----	90	Somewhat limited		Somewhat limited		Somewhat limited	
		Dusty	0.50	Dusty	0.50	Dusty	0.50
		Restricted	0.05	Restricted	0.05	Restricted	0.05
		permeability		permeability		permeability	
KaC: Kadoka-----	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Dusty	0.50	Dusty	0.50	Slope	0.50
		Restricted	0.05	Restricted	0.05	Dusty	0.50
		permeability		permeability		Depth to bedrock	0.42
						Restricted	0.05
KbC: Kadoka-----	50	Somewhat limited		Somewhat limited		permeability	
		Dusty	0.50	Dusty	0.50	Very limited	
		Restricted	0.05	Restricted	0.05	Slope	1.00
		permeability		permeability		Dusty	0.50
						Depth to bedrock	0.42
Epping-----	40	Very limited		Very limited		Restricted	0.05
		Depth to bedrock	1.00	Depth to bedrock	1.00	permeability	
		Dusty	0.50	Dusty	0.50	Very limited	
		Restricted	0.39	Restricted	0.39	Slope	1.00
		permeability		permeability		Depth to bedrock	1.00
						Dusty	0.50

Recreation Table 1  
Shannon County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Restricted permeability	0.39
KeA: Keith-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
KeB: Keith-----	85	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.50 0.50
KhD: Keith-----	50	Somewhat limited Dusty Slope	0.50 0.16	Somewhat limited Dusty Slope	0.50 0.16	Very limited Slope Dusty	1.00 0.50
Colby-----	30	Somewhat limited Dusty Slope	0.50 0.37	Somewhat limited Dusty Slope	0.50 0.37	Very limited Slope Dusty	1.00 0.50
KhE: Keith-----	50	Somewhat limited Dusty Slope	0.50 0.37	Somewhat limited Dusty Slope	0.50 0.37	Very limited Slope Dusty	1.00 0.50
Colby-----	30	Very limited Slope Dusty	1.00 0.50	Very limited Slope Dusty	1.00 0.50	Very limited Slope Dusty	1.00 0.50
KrA: Keith-----	50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
Rosebud-----	45	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
KuC: Keith-----	45	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope Dusty	1.00 0.50
Ulysses-----	40	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope Dusty	1.00 0.50
KyA: Swanboy-----	95	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50

Recreation Table 1  
Shannon County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KyB: Swanboy-----	95	Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability	0.45
		Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Too clayey	0.50	Slope	0.50
		Restricted permeability	0.45	Restricted permeability	0.45	Too clayey	0.50
KzA: Kyle-----	90					Restricted permeability	0.45
		Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Too clayey	0.50	Too clayey	0.50
		Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability	0.45
Le: Lamo-----	45					Somewhat limited	
		Very limited		Somewhat limited		Too clayey	0.50
		Flooding	1.00	Flooding	0.40	Restricted	0.45
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	permeability	
Elsmere-----	40	Restricted permeability	0.15	Restricted permeability	0.15	Very limited	
						Flooding	1.00
		Somewhat limited		Somewhat limited		Depth to	0.39
		Too sandy	0.95	Too sandy	0.95	saturated zone	
Lm: Interior-----	80	Depth to saturated zone	0.07	Depth to saturated zone	0.03	Restricted permeability	0.15
						Somewhat limited	
		Very limited		Very limited		Too sandy	0.95
		Sodium content	1.00	Sodium content	1.00	Depth to	0.07
Ls: Loup-----	75	Flooding	1.00	Dusty	0.50	saturated zone	
		Dusty	0.50	Flooding	0.40		
						Very limited	
		Very limited		Very limited		Depth to	1.00
McB: Manvel-----	85	Depth to saturated zone	1.00	Depth to saturated zone	1.00	saturated zone	
		Not limited		Not limited		Somewhat limited	
						Slope	0.12
Me: Minatare-----	80					Very limited	
		Very limited		Very limited		Sodium content	1.00
		Sodium content	1.00	Sodium content	1.00	Flooding	0.60
		Flooding	1.00	Restricted permeability	0.45		

Recreation Table 1  
Shannon County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MgD: Minnequa-----	80	Restricted permeability	0.45	Depth to saturated zone	0.19	Restricted permeability	0.45
		Depth to saturated zone	0.39			Depth to saturated zone	0.39
		Not limited		Not limited		Very limited Slope	1.00
Mm: Mosher-----	60					Depth to bedrock	0.42
		Very limited Sodium content	1.00	Very limited Sodium content	1.00	Very limited Sodium content	1.00
		Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability	0.45
Minatare-----	25					Slope	0.12
		Very limited Sodium content	1.00	Very limited Sodium content	1.00	Very limited Sodium content	1.00
		Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability	0.45
OcE: Oglala-----	50	Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Dusty	0.50	Dusty	0.50	Dusty	0.50
Canyon-----	35	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Depth to bedrock	1.00
		Dusty	0.50	Dusty	0.50	Dusty	0.50
OeC: Orella-----	80					Gravel content	0.18
		Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Sodium content	1.00	Sodium content	1.00	Sodium content	1.00
Os: Orella-----	55	Too clayey	0.50	Too clayey	0.50	Slope	0.88
		Restricted permeability	0.45	Restricted permeability	0.45	Too clayey	0.50
						Restricted permeability	0.45
		Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Sodium content	1.00	Sodium content	1.00	Slope	1.00
		Too clayey	0.50	Too clayey	0.50	Sodium content	1.00



Recreation Table 1  
Shannon County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop, Soft--	25	Restricted permeability	0.45	Restricted permeability	0.45	Too clayey	0.50
		Slope	0.37	Slope	0.37	Restricted permeability	0.45
		Not rated		Not rated		Not rated	
PcE: Enning-----	40	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Slope	0.84	Slope	0.84	Slope	1.00
		Restricted permeability	0.05	Restricted permeability	0.05	Restricted permeability	0.05
Minnequa-----	40	Not limited		Not limited		Very limited Slope	1.00
						Depth to bedrock	0.42
Pd: Enning-----	55	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Restricted permeability	0.05	Restricted permeability	0.05	Restricted permeability	0.05
Rock Outcrop, Soft--	25	Not rated		Not rated		Not rated	
PeC: Pierre-----	85	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Very limited Slope	1.00
		Restricted permeability	0.45	Restricted permeability	0.45	Too clayey	0.50
						Restricted permeability	0.45
						Depth to bedrock	0.42
PsE: Pierre-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Too clayey	0.50	Too clayey	0.50	Too clayey	0.50

Recreation Table 1  
Shannon County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Samsil-----	25	Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability	0.45
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	0.42
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50	Too clayey	0.50	Depth to bedrock	1.00
		Restricted permeability	0.44	Restricted permeability	0.44	Too clayey	0.50
RaA: Richfield-----	45	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Restricted permeability	0.44
Altvan-----	40	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
RaB: Richfield-----	45	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
Altvan-----	40	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Slope Dusty	0.50
RdA: Richfield-----	55	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
Dawes-----	35	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
ReB: Rosebud-----	50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
Canyon-----	35	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Slope	1.00
		Dusty	0.50	Dusty	0.50	Dusty	0.50
						Depth to bedrock	0.42
RkC: Rosebud-----	60	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Gravel content	0.18
						Somewhat limited Slope	0.88
						Dusty	0.50

Recreation Table 1  
Shannon County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to bedrock	0.42
Keith-----	30	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.88 0.50
Ss: Samsil-----	60	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.44	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.44	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.44
Rock Outcrop, Soft--	20	Not rated		Not rated		Not rated	
Sw: Swanboy-----	80	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability Slope	0.50 0.45 0.12
TaF: Tassel-----	60	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00
Anselmo-----	30	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Te: Epping-----	50	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.39
Mitchell-----	30	Very limited Slope Dusty	1.00 0.50	Very limited Slope Dusty	1.00 0.50	Very limited Slope Dusty	1.00 0.50

Recreation Table 1  
Shannon County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
TnA:							
Tuthill-----	45	Not limited		Not limited		Not limited	
Anselmo-----	40	Not limited		Not limited		Somewhat limited Slope	0.12
TnC:							
Tuthill-----	40	Not limited		Not limited		Very limited Slope	1.00
Anselmo-----	40	Not limited		Not limited		Very limited Slope	1.00
TuA:							
Tuthill-----	45	Not limited		Not limited		Not limited	
Manter-----	45	Not limited		Not limited		Somewhat limited Gravel content	0.06
TuB:							
Tuthill-----	45	Not limited		Not limited		Somewhat limited Slope	0.50
Manter-----	40	Not limited		Not limited		Somewhat limited Slope Gravel content	0.50 0.06
TuC:							
Tuthill-----	45	Not limited		Not limited		Very limited Slope	1.00
Manter-----	40	Not limited		Not limited		Very limited Slope Gravel content	1.00 0.06
UcC:							
Ulysses-----	40	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope Dusty	1.00 0.50
Colby-----	30	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope Dusty	1.00 0.50
VaC:							
Valentine-----	85	Very limited Too sandy Slope	1.00 0.37	Very limited Too sandy Slope	1.00 0.37	Very limited Too sandy Slope	1.00 1.00

Recreation Table 1  
Shannon County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
VaD: Valentine-----	90	Very limited Slope Too sandy	1.00 1.00	Very limited Too sandy Slope	1.00 1.00	Very limited Slope Too sandy	1.00 1.00
Vs: Valentine-----	90	Very limited Too sandy Slope	1.00 1.00	Very limited Too sandy Slope	1.00 1.00	Very limited Too sandy Slope	1.00 1.00
w: Water (less Than 40 Acres)-----	100	Not rated		Not rated		Not rated	
wa: Water (greater Than 40 Acres)-----	100	Not rated		Not rated		Not rated	
Ww: Wortman-----	50	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability Depth to bedrock Slope	1.00 0.50 0.45 0.42 0.12
Wanblee-----	30	Somewhat limited Dusty Restricted permeability	0.50 0.45	Somewhat limited Dusty Restricted permeability	0.50 0.45	Somewhat limited Dusty Restricted permeability Depth to bedrock Slope	0.50 0.45 0.42 0.12